

SECURITY PARTITIONS



Secure areas within your facility with manufactured partitions from Eagle Steel.

Our **Modular Steel Panels** are super strong, economical and can be adapted to virtually any configuration. Our standard 4' x 8' modular panels are built-to-last with High-Steel-Strength 12-gauge, angle frame and 10-gauge, 2"-grid wire mesh panels. Posts, Doors, and Sliding Gates each come in a wide range of standard dimensions that can be configured to fit your site application. Configurations featuring expanded metal, sheet metal or Plexiglas can easily be customized to your needs.

Vrinda provides accurate design to visualize your job, plus experienced installation services to make it happen.



Vrinda
www.WireMeshSecurity.com
1-877-874-6321

Steel Partitioning



Many years of experience in the design & manufacture of welded wire mesh products enables us to provide a comprehensive service to the industry.

Introduction

For many years most companies have been struggling with the question of space utilization and a cost effective product handling and security.

Vrinda Inc. has been the leader in providing assistance to our customers. Our specially engineered wire mesh partition provides security and easy adjustment to accommodate ever changing customer needs in these areas.



Description

Vrinda wire mesh partition compete with other forms of dividers. However our low cost wire mesh partitions overcome extensive costly alterations to existing heating, lighting and sprinkler systems. The majority of our components are stocked in prefabricated sections. They are specifically designed for fast through bolting at posts with prepunched frames in order to assemble easily by your own maintenance personnel without the need of special tools or equipment. The extra strong posts (2") are bolted to the floor, with standard panels to be bolted in between.

Even the wire mesh frames are extra strong to provide additional rigidity to the system. All components are interchangeable for easy relocation.



Special Features

Modular construction keeps our product at a low cost and easy availability. The frames are made out of roll formed angle, providing consistency and a smooth edge with miter cut corners to provide proper framing. Wire fabric is welded inside the frame to produce a smooth, snug-fitting frame that rigidly tightens to the posts. Each



frame is double reinforced to provide necessary rigidity. All bolts are securely fastened inside frames, so that they cannot be unbolted from the outside. Vrinda Steel Doors have an added rigidity built in where the total door is framed extra with 1 1/2" tubing to provide super strong construction. All necessary hardware is provided with every job from 5/16" plated through bolt carriage bolts to 3/8" anchors for posts.


Modular Construction keeps costs down

Standard Panels:

All Vrinda panels are constructed from 1 1/4" x 1 1/4" x 12 ga. steel angle with 2" x 2" x 10 ga. wire mesh screening and two 1" x 1/8" reinforcing bars to support & strengthen the wire mesh screening. Also available in 2" x 1" mesh and 18 ga. sheet metal.

Overall Dimensions


2' x 8'	4' x 8'
3' x 8'	5' x 8'



Service Wicket:
The service wicket employs the standard 4' x 8' panel. The wicket opening is approximately 38" from the floor and a 20" x 45" x 12 ga. shelf allows adequate counter area. This shelf is hinged to swing up to cover the opening when not in use.

Standard Colours: Blue, Grey, Green and Orange

SERVICE WICKET



DUTCH DOOR

SWING GATE

BOTH GATES AVAILABLE IN 3' x 7' OR 4' x 7' SIZES.

Note:


The construction of all Vrinda wire mesh gates is the same as the standard panels. The addition of 1 1/2" x 1 1/2" x .100 wall square tube framing ensures a durable product.

Posts:

The Vrinda support posts are constructed from 2" x 2" x .100 wall tubing and come in 8'5", 10'5" & 12'5" lengths complete with base & cap.

The base plate is 2 1/2" x 7" x 5/16" steel plate.

Custom sizes are available to fit your needs.



Track Detail

Door Guide

SLIDING GATE

STANDARD SLIDING GATE DIMENSIONS

WIDTH	HEIGHT	WIDTH	HEIGHT
4' - 3"	8'	10' - 3"	8'
6' - 3"	8'	10' - 3"	10'
8' - 3"	8'	10' - 3"	12'
8' - 3"	10'	12' - 3"	8'
8' - 3"	12'	12' - 3"	10'
		12' - 3"	12'

Base Plate